

The ASHRAE Guide for Buildings in Hot & Humid Climates

Expanded
2nd Edition

Lewis G. Harriman III
Joseph W. Lstiburek



American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

The ASHRAE Guide for Buildings in Hot and Humid Climates

Expanded 2nd Edition

Lewis G. Harriman III
Joseph W. Lstiburek, Ph.D, P.Eng.

Supervising Technical Committee

Technical Committee 1.12
Moisture Management in Buildings
Chair - Rodney Lewis, P.E.
Houston, TX

Project Management

Lew Harriman
Mason-Grant Consulting
P.O. Box 6547
Portsmouth, NH 03802 USA
www.MasonGrant.com

Project Monitoring Subcommittee

Chair: Raymond Patenaude, P.E.
The Holmes Agency, St. Petersburg, FL
Region XIII Suei Keong Chea
Carrier Corp. Sarawak, Malaysia
TC 1.12, 4.4 Larry Elkin, P.E.
Applied Building Sciences, Charleston, SC
TC 8.12 Douglas Kosar
Gas Technology Institute - Chicago
TC 1.12 John Murphy
Trane Commercial Systems, LaCrosse, WI
TC 4.4 William Rose, R.A.
U. of Illinois - Building Research Council
TC 9.12 Lynn Werman, P.E.
Werman Consulting, Omaha, NE
Co-Sponsor: U.S. Department of Energy - Drury Crawley
Co-Sponsor: Munters Commercial Systems - Michael Hayes
Co-Sponsor: Southern Company - Pradeep Vitta
Co-Sponsor: Venmar CES - Paul Pieper

Supplemental Reviewers

Region XII: Ronald Bailey, P.E.
Bailey Engineering, Jupiter, FL
TC 1.12 Carl Lawson
Hanson Services, West Palm Beach, FL
TC 4.4 Sean O'Brien, P.E.
Simpson, Gumpertz & Heger, NY, NY
Region XIII: Chee Sheng Ow, Ph.D.
Universiti Teknologi Mara, Malaysia
Region XIII: Chandra Sekhar, Ph.D, C.Eng.
National University of Singapore
SSPC 55: Stephen Turner
CTG Energetics, Providence, RI

ISBN 978-1-933742-43-4

American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.
1791 Tullie Circle, N.E., Atlanta, GA 30329

(404) 636-8400

www.ashrae.org

Preface To The 2nd Edition

The first edition of this book contained a subset of the information we provide here. It dealt with the broad, cross-cutting issues of thermal comfort, ventilation air, energy consumption and mold. In this 2nd edition, the book has expanded from 100 to over 300 pages.

As the book expanded, it became apparent that although experts often agree about general principles, digging into the details sometimes generates passionate debate. Strongly-held opinions based on decades of the different experiences of our expert advisors made writing this second edition quite a challenge.

So it's useful to keep in mind that the suggestions presented in this book include a broad range of opinions and judgements. It is quite possible—even probable—that there will be different opinions between experts about any single suggestion. But the authors trust and expect that taken as a whole, the information provided here will be helpful when making the key decisions about design and operation of buildings in hot and humid climates.

Above all, what we have tried to achieve is a clear and engaging presentation of the critical issues. Most experts will probably agree that as long as the key issues are given some attention, more often than not the building will be quite successful. It's when the decision makers are simply *not aware* of the issues that the real problems occur.

For example, it's not obvious to most architectural designers that the design of a building's glazing will govern the comfort of the occupants, the cost of its HVAC system and the building's energy use for all time. Nor is it obvious to HVAC designers that sealing up the connections in exhaust duct work will greatly reduce the risk of mold. But when the *entire team is aware* of the importance of glass design, the importance of overhanging the roof and importance of sealed duct connections, the decisions the team makes on behalf of the owner are likely to be better. Then we will have achieved the purpose of this book: to improve buildings in hot and humid climates for the benefit of their owners, for their occupants and for society as a whole.

Acknowledgments

This book was prompted by the long-standing sustainability concerns of Terry Townsend, P.E., President of ASHRAE during 2006 and 2007. Based on his concern that without ASHRAE guidance, hot and humid climate design practices may not be as sustainable as what will be needed by future generations, President Townsend asked the ASHRAE Board to approve this special project.

This expanded second edition has been made possible by the technical and financial support of: the Office of Building Technologies of the U.S. Department of Energy; the Commercial Systems Division of Munters Corporation in San Antonio, Texas; the Services Division of the Southern Companies in Birmingham, Alabama and Venmar CES Inc. in St-Léonard-d'Aston, Quebec. On behalf of the Project Committee and of the future readership of this book, we express our great appreciation for the support of these generous sponsors, without whom this second edition could not exist.

Dedication

We also appreciate the support of the many donors of the technical material, photos, diagrams and field experiences which enrich and enliven this book. General principles, while useful, are much easier to understand, to remember and to apply when their relevance is made clear through real-world experience and examples. We are very grateful for those experiences, and for the enormous amount of time volunteered by our reviewers and by our Project Monitoring Committee to help improve the text. Wherever the book is clear, accurate and useful, it is largely because of the contributions and the oversight of these generous experts. To them, we dedicate this second edition.



Lew Harriman
Portsmouth, NH
January, 2009

The ASHRAE Guide for Buildings in Hot and Humid Climates

Major Sections & Chapter Titles

Common Issues

1. Introduction
2. Improving Thermal Comfort
3. Managing Ventilation Air
4. Reducing Energy Consumption
5. Avoiding Bugs, Mold & Rot
6. Improving Sustainability

Enclosure Design

7. The Components of a Perfect Wall
8. Keeping Water Out of the Building
9. Keeping Heat Out of the Building
10. Architectural Lessons From Tropical Storms

HVAC Design

11. Estimating Dehumidification Loads
12. Estimating Cooling Loads
13. Designing Dehumidification Systems
14. Designing Cooling Systems
15. Designing Ventilation Systems
16. Air-Tight HVAC Systems

Construction

17. Avoiding Mold By Keeping Construction Dry

Appendix

- I. Design Extremes - Dew Point vs. Dry Bulb
- II. Dehumidification Design Equations
- III. I-P to SI Conversion Factors
- IV. Dew Point and Humidity Ratio Tables
- V. Psychrometric Charts (I-P and SI)

1. Introduction	8	9. First lower the dew point... then raise the thermostat.....	59
2. Improving Thermal Comfort	12	10. Invest in regular tune-ups (Constant commissioning).....	61
Key Points	13		
Thermal Comfort - A Moving Target.....	13		
Thermal comfort is governed by expectations.....	14		
Improving the percentage of comfortable people	14		
Dynamic & social nature of comfort perception	15		
Avoiding cold buildings in hot climates	16		
Architecture - The Foundation of Comfort.....	17		
HVAC Suggestions for Better Comfort	21		
1. Design HVAC systems for real clothing preferences	21		
2. Dry ventilation air helps avoid temperature swings.....	22		
3. Constantly-cold coils can also dry air effectively.....	22		
4. Drier air expands the comfort range in mixed uses.....	23		
5. Capacity modulation avoids sharp changes.....	24		
6. Higher velocity diffusers avoid “cold air dumping”	25		
3. Managing Ventilation Air	28		
Key Points	29		
Measuring and conserving ventilation air.....	29		
Drying ventilation air—all the time	32		
Avoiding building suction and infiltration	34		
Greater O & M attention for ventilation components.....	35		
4. Reducing Energy Consumption..	38		
Key Points	39		
Suggestions For Reducing Energy Use.....	42		
1. Reduce the cooling load from windows	43		
2. Avoid west-facing glass	45		
3. Reduce the heat from lights, using daylighting	46		
4. Build an air tight exterior enclosure.....	49		
5. Commission new buildings and mechanical systems	51		
6. Seal up all duct connections, air handlers and plenums.....	54		
7. Reduce ventilation air when occupants leave	55		
8. Recover waste energy from exhaust air and condensers.....	56		
		5. Avoiding Bugs, Mold & Rot	68
		Key Points	69
		Excess Moisture Leads to Bugs, Mold & Rot.....	69
		Human Health Effects of Bugs, Mold & Rot	70
		Lessons Learned and Forgotten.....	70
		Mold growth - water activity vs. rh.....	71
		The owner—not the law—makes the key decisions ...	74
		Suggestions for owners and Architects	74
		Suggestions for the HVAC designer	81
		Suggestions for contractors	84
		Suggestions for building operators	87
		Assessing Mold Risk in Existing Buildings	89
		Bacteria: locate any standing water, then drain it or dry it.....	89
		Mold - keep moisture content below 14% WME.....	90
		Measuring moisture	91
		Locating excess moisture in buildings.....	92
		Risky Misconceptions and Half-truths.....	97
		6. Improving Sustainability	106
		Key Points	107
		Advancing Beyond Theory To Practice.....	107
		Chapter 6 is an index to sustainability decisions	108
		More Durable = More Sustainable	108
		Don’t build in flood zones and swamps.....	108
		Enclosure design which keeps out water	109
		Materials which tolerate frequent wetting	109
		Less Energy = More Sustainable	110
		Enclosure design which keeps out heat and humidity.....	110
		HVAC design which keeps out heat and humidity	111
		HVAC design which matches energy to occupancy	111
		More Maintainable = More Sustainable.....	111
		Accounting allows—or prevents—sustainability.....	111
		Budget for constant commissioning—then do it	112
		Access, access, access.....	113

The Building Enclosure

7. Elements of a Perfect Wall	116
Towards a Perfect Wall	117
The layers are the same for roofs and foundations.....	118
Wall and roof layers must connect.....	119
Translating basic principles into real walls.....	119
8. Keeping Water Out	122
Key Points	123
Roof Overhangs Come First.....	124
Sill Pans.....	126
Flashing	126
Drainage Planes In Walls.....	128
Crawl Spaces	133
Site and Foundation Drainage	135
9. Keeping Heat Out.....	140
Key Points	141
Owner & Architectural Designer Decisions.....	141
Reduce the glazing and shade the remainder	141
Design high, horizontal glazing for daylighting.....	143
Control lighting power according to daylight.....	145
Install continuous insulation, outboard.....	146
Allow money for demand-controlled ventilation.....	147
Allow ceiling height for ducted supply and return.....	148
HVAC Designer Decisions	149
Seal up all air-side joints and connections	149
Don't use building cavities to carry supply or return air.....	150
Install demand-controlled ventilation	151
Don't let air economizers fill the building with humid air.....	151
Use exhaust air to precool and predry ventilation air	152
Keep the indoor dew point low.....	153
10. Lessons From Storms	156
Resisting wind and rain	157
Resisting storm surges and floods.....	157
Materials and assemblies which tolerate water.....	158
Assemblies which dry easily	162

HVAC Design

11. Dehumidification Loads	166
Dehumidification (DH) Loads	167
The Estimate Begins With Owner's Decisions.....	167
Step 1 - Selecting the outdoor design condition.....	167
Step 2 - Selecting the target maximum indoor dew point.....	168
Step 3 - Quantifying & locating the people in the building	169
After Owner's Decisions, Engineering Begins.....	171
Step 4 - Estimating the ventilation & makeup air load.....	171
Step 5 - Estimating the infiltration load	172
Step 6 - Estimating the load from people.....	174
Step 7 - Estimating the load from door openings	175
Step 8 - Estimating the minor loads	177
12. Cooling Loads	190
Key Points	191
Quantify glass-related loads to improve design.....	191
Separate and calculate the dehumidification loads....	195
Calculate ventilation loads at peak dew point.....	197
Enthalpy heat recovery reduces peak cooling loads ..	198
Don't overestimate office plug loads.....	199
13. Dehumidification Systems.....	202
Key Points	203
Deliver air drier than the control condition	204
Control requires dedicated DH components.....	204
Size DH equipment based on the peak dew point.....	205
DH performance based on weight of water removed	207
Design for dew point control instead of rh control	211
Avoiding common problems in DH design.....	212
Ways to reduce DH-related energy.....	217
14. Cooling Systems	224
Key Points	225
Independent dehumidification and ventilation	225
Extra cooling capacity does not dehumidify	227
Don't double-up the safety factors	229
Measure, control and dry the ventilation air.....	231

HVAC Design

Focus carefully on the exterior glass	232
Design air systems which are really air-tight	233
Cautions for buildings with operable windows	234
Cautions for comfort in hot and humid climates.....	235

15. Ventilation Air Systems 238

Key Points	239
Ventilation Dehumidification and Air Cleaning	240
Drying ventilation air	240
Filtering particles	242
Filtering gaseous pollutants - emphasizing ozone	245
Effective Ventilation Air Distribution.....	246
Reducing The Cost Of Ventilation.....	248
How Much Air & Where - ASHRAE Std 62.1	254
Access for maintenance is now a requirement	259
Use the peak dew point for DH calculations.....	259
65% rh upper limit - a 55°F dew point is a better one	260
Key Maintenance Aspects Of Ventilation.....	263

16. Airtight HVAC Systems 270

Key Points	271
Airtight Systems... Are They Necessary?	271
Energy consumption and leaky air systems	271
Mold and leaky air systems	272
How Much Building Leakage Is HVAC-Driven?.....	272
Designers' Guide To Limiting Air Leakage	277
Avoid return and supply air plenums.....	277
Roof curbs.....	278
Connections to and from air handlers.....	279
Seal all supply, return and exhaust air duct connections	279
In-wall packaged AC units and fan-coil units.....	279
Owners' Guide To Reducing Air Leakage	280
Tracking down leak locations	283

Construction

17. Avoiding Mold by Keeping Construction Dry

Key Points	289
Cautions for Each Construction Phase	290
Exposed phase - Keep fibrous glass insulation dry	290
Partially-enclosed - Allow concrete and fireproofing to dry.....	290
Controlled phase - Watch out for wall board, and for HVAC.....	292
How Dry Is Dry Enough To Prevent Mold?.....	294
Measuring Moisture.....	296
1. Electrical Resistance - "Penetrating Meters"	296
2. Electrical field variation - "Non-Penetrating Meters"	298
3. Equilibrium Relative Humidity (ERH).....	299
4. Vapor emission rate - The "Calcium chloride test"	301
Equipment For Construction Drying.....	302
Construction Drying Techniques.....	302
Specifications To Keep New Construction Dry.....	305

Appendix 308

Psychrometric Display - Design vs. Hourly Weather... 308	308
Tampa, FL - (I-P units)	308
Tampa, FL - (SI units).....	309
Dehumidification Design Equations.....	310
I-P to SI Conversion Factors	311
Dew Point and Humidity Ratio Tables	312
Psychrometric Charts (showing gr/lb and g/kg).....	314
I-P.....	314
SI.....	315
Book Production Notes.....	316